PREPARATION FOR COLONOSCOPY

For a safe and accurate examination, it is important that your colon is as clean as possible. Please read all the instructions carefully prior to your procedure.

You will need to purchase PREPKIT ORANGE (it contains 2 sachets of PICOPREP and 1 sachet of GLYCOPREP-O 70g) from your pharmacy. No prescription is required.

Follow the instructions below as they may differ from the instructions that come in the bowel preparation provided by your Pharmacist.

FIVE DAYS BEFORE YOUR COLONOSCOPY

Avoid foods with whole grains, seeds, nuts or pips (ie grainy muesli, wholegrain/multigrain bread, seeds and pips within fruit or vegetables). Continue avoiding these foods until after your procedure.

TWO DAYS BEFORE YOUR COLONOSCOPY

Start the white diet. Only eat foods from the white diet food list (see over).

ONE DAY BEFORE YOUR COLONOSCOPY

Prepare the bowel preparation in the morning of the day prior to your colonoscopy. The sachets should be mixed up separately (ie: into 3 separate containers), as follows:

- Mix 1 sachet of PICOPREP into 250mls warm water
- Mix 1 sachet of GLYCOPREP-O 70g into 1 litre of water
- Mix 1 sachet of PICOPREP into 250mls warm water

Chill these in the fridge until required.

On the day before your colonoscopy you can eat a WHITE DIET breakfast. No solid food is allowed after 11am. Only APPROVED CLEAR FLUIDS and the bowel preparation are allowed until after your procedure.

- At 5pm Drink 1 glass PICOPREP. Follow this by at least 4 glasses of clear fluids over the next two hours.
- At 7pm .- Start drinking the 1 litre of GLYCOPREP-O. Drink 1 glass every 15 minutes until finished. Slow down if you feel nauseous.
- 3. At 4am the morning of your procedure.- Drink 1 glass of PICOPREP. Follow this with 4 more glasses of water.
- 4. You may drink water up until your fast time

FAST COMPLETELY FROM 6am on the day of your procedure.

Milk, plain yoghurt, margarine/butter, vanilla ice cream/ lemon sorbet, white chocolate

Plain cream cheese, cottage cheese, ricotta cheese, tasty cheese, feta cheese

Egg whites, mayonnaise, white sauce, cream, sour cream White rice/pasta/peeled potatoes, clear soup

White bread/toast, plain rice crackers, rice bubbles

Grilled white fish fillet, chicken breast (no skin)

Any desired fluid

APPROVED CLEAR FLUIDS

Water, clear broth, clear fruit juice (eg apple and pear), plain jelly, black tea or coffee (no milk), sports drinks (Gatorade, Powerade, Hydralyte), carbonated drinks, barley sugar, clear fruit cordials. Moderate alcohol is allowed but can dehydrate. Avoid red and green food colourings.

PREPARATION FOR COLONOSCOPY FOR PATIENTS ON GLP-1 RECEPTOR AGONISTS

For a safe and accurate examination, it is important that your colon is as clean as possible. Please read all the instructions carefully prior to your procedure.

You will need to purchase PREPKIT ORANGE (it contains 2 sachets of PICOPREP and 1 sachet of GLYCOPREP-O 70g) from your pharmacy. No prescription is required.

Follow the instructions below as they may differ from the instructions that come in the bowel preparation provided by your Pharmacist.

FIVE DAYS BEFORE YOUR COLONOSCOPY

Avoid foods with whole grains, seeds, nuts or pips (ie grainy muesli, wholegrain/multigrain bread, seeds and pips within fruit or vegetables). Continue avoiding these foods until after your procedure.

TWO DAYS BEFORE YOUR COLONOSCOPY

Start the white diet. Only eat foods from the white diet food list (see over).

ONE DAY BEFORE YOUR COLONOSCOPY

Prepare the bowel preparation in the morning of the day prior to your colonoscopy. The sachets should be mixed up separately (ie: into 3 separate containers), as follows:

- Mix 1 sachet of PICOPREP into 250mls warm water
- Mix 1 sachet of GLYCOPREP-O 70g into 1 litre of water
- Mix 1 sachet of PICOPREP into 250mls warm water

Chill these in the fridge until required.

On the day before your colonoscopy you can eat a WHITE DIET breakfast. No solid food is allowed after 8am. Only APPROVED CLEAR FLUIDS and the bowel preparation are allowed until after your procedure.

- At 5pm Drink 1 glass PICOPREP. Follow this by at least 4 glasses of clear fluids over the next two hours.
- At 7pm .- Start drinking the 1 litre of GLYCOPREP-O. Drink 1 glass every 15 minutes until finished. Slow down if you feel nauseous.
- At 4am the morning of your procedure. Drink 1 glass of PICOPREP.
 Follow this with 4 more glasses of water.

FAST COMPLETELY FROM 5am on the day of your procedure.

Milk, plain yoghurt, margarine/butter, vanilla ice cream/ lemon sorbet, white chocolate

Plain cream cheese, cottage cheese, ricotta cheese, tasty cheese, feta cheese Egg whites, mayonnaise, white sauce, cream, sour cream

White rice/pasta/peeled potatoes, clear soup

White bread/toast, plain rice crackers, rice bubbles

Grilled white fish fillet, chicken breast (no skin)

Any desired fluid

APPROVED CLEAR FLUIDS

Water, clear broth, clear fruit juice (eg apple and pear), plain jelly, black tea or coffee (no milk), sports drinks (Gatorade, Powerade, Hydralyte), carbonated drinks, barley sugar, clear fruit cordials. Moderate alcohol is allowed but can dehydrate. Avoid red and green food colourings.

PREPARATION FOR COLONOSCOPY

For a safe and accurate examination it is important that your colon is as clean as possible. Please read all the instructions carefully prior to your procedure.

You will need to purchase GLYCOPREP ORANGE (210grams) from your pharmacy. No prescription is required. (Not the Glycoprep C KIT)

Follow the instructions below as they may differ from the instructions included in the bowel preparation provided by your Pharmacist.

FIVE DAYS BEFORE YOUR COLONOSCOPY

Avoid foods with whole grains, seeds, nuts or pips (ie grainy muesli, wholegrain/multigrain bread, seeds and pips within fruit or vegetables). Continue avoiding these foods until after your procedure.

TWO DAYS BEFORE YOUR COLONOSCOPY

Start the white diet. Only eat foods from the white diet food list (see over).

ONE DAY BEFORE YOUR COLONOSCOPY

In the morning, dissolve the 210 grams of GLYCOPREP-O in 3 litres of warm water and chill in the fridge until needed.

On the day before your colonoscopy, you can have a WHITE DIET breakfast and a light morning tea. No solid food is allowed after 11am. Only APPROVED CLEAR FLUIDS and the bowel preparation are allowed until after your procedure.

- 1. At **5pm** Start drinking the first litre of GLYCOPREP-O. Drink 250mls every 15 minutes until finished.
- At 7pm Start drinking the second litre of GLYCOPREP-O.
 Drink 250mls every 15 minutes until finished.
- 3. At 9pm Drink 500ml of Glycoprep-O. One 250mls every 15 mins.
- At 5am <u>day of procedure</u> drink <u>500ml</u> GLYCOPREP-O.
 Drink one glass every 15 minutes until finished.

FAST COMPLETELY FROM 6am on the day of your procedure.

PREPARATION FOR COLONOSCOPY

For a safe and accurate examination it is important that your colon is as clean as possible. Please read all the instructions carefully prior to your procedure.

You will need to purchase GLYCOPREP ORANGE (210grams) from your pharmacy. No prescription is required. (Not the Glycoprep C KIT)

Follow the instructions below as they may differ from the instructions included in the bowel preparation provided by your Pharmacist.

FIVE DAYS BEFORE YOUR COLONOSCOPY

Avoid foods with whole grains, seeds, nuts or pips (ie grainy muesli, wholegrain/ multigrain bread, seeds and pips within fruit or vegetables). Continue avoiding these foods until after your procedure.

TWO DAYS BEFORE YOUR COLONOSCOPY

Start the white diet. Only eat foods from the white diet food list (see over).

ONE DAY BEFORE YOUR COLONOSCOPY

In the morning, dissolve the 210 grams of GLYCOPREP-O in 3 litres of warm water and chill in the fridge until needed.

On the day before your colonoscopy, you can have a WHITE DIET breakfast and a light morning tea. No solid food is allowed after 11am. Only APPROVED CLEAR FLUIDS and the bowel preparation are allowed until after your procedure.

- At 5pm Start drinking the first litre of GLYCOPREP-O. Drink 250mls every 15 minutes until finished.
- At 7pm Start drinking the second litre of GLYCOPREP-O.
 Drink 250mls every 15 minutes until finished.
- 3. At 9pm Drink 500ml of Glycoprep-O. One 250mls every 15 mins.
- At 5am day of procedure drink 500ml GLYCOPREP-O.
 Drink one glass every 15 minutes until finished.

FAST COMPLETELY FROM 6am on the day of your procedure.

Milk, plain yoghurt, margarine/butter, vanilla ice cream/ lemon sorbet, white chocolate

Plain cream cheese, cottage cheese, ricotta cheese, tasty cheese, feta cheese

Egg whites, mayonnaise, white sauce, cream, sour cream White rice/pasta/peeled potatoes, clear soup White bread/toast, plain rice crackers, rice bubbles Grilled white fish fillet, chicken breast (no skin)

Any desired fluid

APPROVED CLEAR FLUIDS

Water, clear broth, clear fruit juice (eg apple and pear), plain jelly, black tea or coffee (no milk), sports drinks (Gatorade, Powerade, Hydralyte), carbonated drinks, barley sugar, clear fruit cordials. Moderate alcohol is allowed but can dehydrate. Avoid red and green food colouring.

PREPARATION FOR COLONOSCOPY Patients with Gastric Lap Banding or Gastric Sleeve

For a safe and accurate examination it is important that your colon is as clean as possible. Please read all the instructions carefully prior to your procedure.

You will need to purchase 3 SACHETS OF PICOPREP from your pharmacy. No prescription is required.

Follow the instructions below as they may differ from the instructions that come in the bowel preparation provided by your Pharmacist.

FIVE DAYS BEFORE YOUR COLONOSCOPY

Avoid foods with whole grains, seeds, nuts or pips (ie grainy muesli, wholegrain/multigrain bread, seeds and pips within fruit or vegetables). Continue avoiding these foods until after your procedure.

TWO DAYS BEFORE YOUR COLONOSCOPY

Start the white diet. Only eat foods from the white diet food list (see over).

ONE DAY BEFORE YOUR COLONOSCOPY

In the morning of the day prior to your colonoscopy these sachets should be mixed up separately (ie: into 3 separate containers), as follows:

- Mix 1 sachet of PICOPREP into 250mls warm water
- Mix 1 sachet of PICOPREP into 250mls warm water
- Mix 1 sachet of PICOPREP into 250mls warm water

Chill these in the fridge until required.

On the day before your colonoscopy, you can have an early white diet breakfast. NO SOLID FOODS after 8am. Only APPROVED CLEAR FLUIDS and the bowel preparation are then allowed until complete fasting time (see below).

- At 3pm -Drink your 1st glass of PICOPREP. Follow this by at least 4 glasses of clear fluids over the next two hours.
- At 5pm -Drink your 2nd glass of PICOPREP. Follow this by at least 4 glasses of clear fluids over the next two hours.
- At 7pm -Drink 3rd glass of PICOPREP. Follow this with 2 more glasses of water.

FAST COMPLETELY FROM 8pm - the day before your procedure.

Milk, plain yoghurt, margarine/butter, vanilla ice cream/ lemon sorbet, white chocolate

Plain cream cheese, cottage cheese, ricotta cheese, tasty cheese, feta cheese

Egg whites, mayonnaise, white sauce, cream, sour cream

White rice/pasta/peeled potatoes, clear soup

White bread/toast, plain rice crackers, rice bubbles

Grilled white fish fillet, chicken breast (no skin)

Any desired fluid

APPROVED CLEAR FLUIDS

Water, clear broth, clear fruit juice (eg apple and pear), plain jelly, black tea or coffee (no milk), sports drinks (Gatorade, Powerade, Hydralyte), carbonated drinks, barley sugar, clear fruit cordials. Moderate alcohol is allowed but can dehydrate. Avoid red and green food colouring.